




CÓDIGO:
PEZ090-20

FICHA TÉCNICA

Línea De Pesca 20 Pe Line 0.80Mm 137M



Brand: PRO BEROS Color: Blue/Gray/Green/Red/Yellow
Type: Braided PE Line Strands: 8 weaves
Suitable range: Black pit, Lake, Ocean Rock Fishing, Ocean Boat Fishing
Ocean Beach Fishing

8 WEAVES	Green								
Model	0.4	0.6	0.8	1.0	1.5	2.0	2.5	3.0	4.0
Diameter (mm)	0.10	0.12	0.14	0.16	0.20	0.23	0.26	0.28	0.32
Text (lb)	6	8	10	15	20	30	35	40	50
Max Tension (kg)	2.7	3.6	4.5	6.8	9	13.6	15.8	18.1	22.6

Model	6.0	7.0	8.0	10.0	13.0	15.0	20.0	25.0	30.0
Diameter (mm)	0.40	0.45	0.50	0.55	0.60	0.70	0.80	0.90	1.0
Text (lb)	70	80	90	100	120	150	200	250	300
Max Tension (kg)	31.7	36.2	40.8	45.3	54.4	68	90.7	113.3	136

Manual measurement is inevitable error in order to prevail in kind, please understand

***Nombre:** Línea de pesca 20 PE Line 0.80mm 137m

Código de producto: PEZ090-20

Tipo: Línea y Nylon para pesca

INFORMACIÓN ADICIONAL

Línea De Pesca 20 Pe Line 0.80Mm 137M

- Línea Pe 10
- 200 Lbs / 90.7 Kg
- 0.80 Mm - 100M
- 100G



Brand: PRO BEROS Color: Blue/Gray/Green/Red/Yellow
 Type: Braided PE Line Strands: 8 weaves
 Suitable range: Black pit, Lake, Ocean Rock Fishing, Ocean Boat Fishing
 Ocean Beach Fishing

8 WEAVES

Green

Model	0.4	0.6	0.8	1.0	1.5	2.0	2.5	3.0	4.0	5.0
Diameter (mm)	0.10	0.12	0.14	0.16	0.20	0.23	0.26	0.28	0.32	0.37
Text (LB)	6	8	10	15	20	30	35	40	50	60
Max Tension (KG)	2.7	3.6	4.5	6.8	9	13.6	15.8	18.1	22.6	27.2

Model	6.0	7.0	8.0	10.0	13.0	15.0	20.0	25.0	30.0
Diameter (mm)	0.40	0.45	0.50	0.55	0.60	0.70	0.80	0.90	1.0
Text (LB)	70	80	90	100	120	150	200	250	300
Max Tension (KG)	31.7	36.2	40.8	45.3	54.4	68	90.7	113.3	136

Manual measurement is inevitable error In order to prevail in kind, please understand



Abrasion Resistance PE Line

Imported PE Raw Silky/Easy Cutting Water/Abrasion Resistance Smooth/Super High Energy

8 weaves Blue/Gray/Green/Red/Yellow

8W




SUPERB CRAFTSMANSHIP

Resistant to a variety of physical attacks


Increase the service life of fishing line

Abrasion Resistance Test

Many Times
Repeated
Friction



Scissor damage test
Excellent wear resistance



4 WEAVES < 8 WEAVES < 9 WEAVES

Good performance.Stronger pulling.Abrasion Resistance.More Easy Cutting Water



4 WEAVES

Generally used for hand rod
Abrasion Resistance
Easy Cutting Water Anti-bite




8 WEAVES

Cross section is more flat than 4 weaves
Abrasion Resistance,
Smooth and pulling drag is better,
normal used for spinning
and telescopic fishing rod



9 WEAVES

More Abrasion Resistance,
stronger and smoother,
throw more farther,
More Easy Cutting Water,
usually as main line
for Rock Fishing Rod



**Far
Away
Throwing**

The throwing distance is mainly based on the resistance of the fishing line and wind speed effect on the line.
9 weaves PE Line is tightly woven, high smoothness, throwing far away.

SUPERB CRAFTSMANSHIP

New upgrades with interspersed seamless weaving technology

To enhance the line density and performance



8 weaves