



SELF LIGHTING TORCH
EXTREME757

HEAVY DUTY
MAXXGASS TORCH





EXTREME757 Torch General Safety and Operating Instructions.

WARNING

Contents extremely flammable and under pressure.

Keep out of reach of children or any one that has not read the instructions.

Carefully read cautions on individual containers. Keep away from heat and flame.

DO NOT store at temperatures above 120 degrees F (49 degrees C).

DO NOT store in rooms used for habitation.

ALWAYS USE YOUR TORCH IN A WELL-VENTILATED AREA.

CONTENTS EXTREMELY FLAMMABLE AND UNDER PRESSURE.

KEEP OUT OF REACH OF CHILDREN.

GENERAL SAFETY RULES

1. Do not try to operate before reading instructions. Do not use this torch until you understand all the instructions and cautions. Familiarise yourself with the torch before lighting or using. Review instructions and cautions periodically to maintain awareness. Deviating from these procedures may result in fire, explosion, and property damage and/or operator injury.
2. Do not point torch towards face, other persons or flammable objects. Never attempt to use torch as a cigarette lighter.
3. The torch should never be stored attached to the bottle.
4. Never attempt to modify the torch construction and never use unapproved fuel or accessories.
5. Treat the torch as you would any fine tool or instrument. Do not drop or otherwise abuse.
6. Do not use a leaking, damaged or malfunctioning torch, do not use the torch until you correct the problem. Torches improperly operated, maintained or repaired can be dangerous. Improper use, service, repair, or modification of the torch could result in damage to the product, property damage or personal injury to the operator. Increases chance of bottle explosion.
7. Work only in well ventilated areas.
8. Avoid contact of flux with skin or eyes. Avoid the fumes from fluxes, lead based paint and all metal heating operations. They may emit dangerous flames when heated with a torch. Breathing these flames is hazardous to your health. Be especially careful to avoid fumes from cadmium plating and galvanized metal – remove these coatings in the area to be heated by filing or sanding prior to heating.
9. Always place your work on firebrick. Ordinary brick and concrete can explode when subjected to high temperatures. DO NOT work on wood or metal surfaces. Always shield your work.
10. Always wear protective gloves and use proper tools to handle hot work.
11. Be aware that the tip of the torch can get extremely hot during use. Take precautions to protect yourself and others from accidental burns. Never use the torch on or near combustibles. Be especially careful around motor vehicles or any gasoline – powered products and beware of hidden fuel lines and tanks.
12. Always make certain the torch is placed on a level surface when connected to the gas cylinder to reduce the risk of accidental tip over. Be sure torch is not pointed in a direction that would cause nearby objects to ignite when torch is set down.
13. When thawing pipes, be very careful not to overheat surrounding materials.
14. Always have a fire extinguisher and a bucket of water near the torch and work area. Do not place them in the flame path or in a location where you could not reach them should a fire break out.





DANGER

EXTREMELY FLAMMABLE CONTENTS UNDER PRESSURE. Keep out of reach of children. Keep away from heat or flame. It is illegal and dangerous to refill the gas cylinder. Obtain new gas cylinder from your dealer. Avoid prolonged exposure to sunlight. Do not store near heat or in a room used for habitation. Always close torch valve and wait at least 30 seconds before removing torch from gas cylinder. Always detach gas cylinder from torch when not in use. Do not breathe gas, fumes, vapor or spray. If inhaled removed affected person to fresh air. Always avoid contact with skin and eyes. For skin contact, flush with large amounts of water. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. When gas cylinder is empty, discard in a safe place. Do not throw in fire. Do not puncture or incinerate container.

TEMPERATURE ADJUSTMENT - ALL MODELS

For hottest, most efficient flame, adjust inner blue flame of burner to 1-1/2" to 2" in length .

OPERATION AND LIGHTING

Torch should be directed in a safe direction away from people and objects. Use only MaxxGASS or Propane fuel with the torch. Use of any other fuel may damage your torch and may cause serious harm. Make sure the on/off adjustment knob is in "off" position when installing a gas cylinder. With valve open and without lighting, test all connections for leaks with soapy water at the torch and gas cylinder connection. Check all joints and couplings periodically to insure against loose connections. If a leak is detected, replace the gas cylinder and check for leaks again. If leaking still occurs the torch MUST NOT be used.

DO NOT ATTACH OR DETACH TORCH WHERE OPEN FLAMES CAN IGNITE ACCIDENTALLY RELEASED GAS.

Crossed threads may result in the sudden escape of extremely flammable gas. Do not use torch with a cylinder tipped more than 60 degrees from the upright position as this may cause the torch to flare.

Assembling components:

1. Before installing the hand torch to the cylinder make sure the flame control valve is in the fully closed position (DO NOT FORCE) and the sealing ring is in place.
2. Slide the lock button to the unlock position.
3. Slowly turn the flame control valve counter clockwise 3-4 turns while holding the torch. Light the torch by slowly pressing and holding the ignition trigger (repeat if necessary).
4. To obtain proper flame, turn the flame control valve clockwise. To avoid overheating the tip end, hold the torch a proper distance to object.
5. Push down the lock button to lock the ignition trigger for continuous operation.

Shutting down equipment:

1. Release the ignition trigger and close the flame control valve to extinguish the flame and wait for the tip to cool down.
2. Disconnect hand torch from cylinder by turning the cylinder counter clockwise while holding the hand torch body.
3. Store the cylinder in compliance with state or local regulations. Read the printed instruction warning on the cylinder for storage. Keep equipment away from children.

CAUTION

ALLOW TIP TO SUFFICIENTLY COOL BEFORE ATTEMPTING TO SWIVEL OR REMOVE THE TIP ASSEMBLY. TIP MAY BE EXTREMELY HOT AND TOUCHING THE TIP MAY RESULT IN BODILY HARM OR PROPERTY DAMAGE IF TOUCHED.





SELF LIGHTING TORCH



THE TUBE & PIPE TOOL SPECIALISTS

EXTREME SILVER SWIRL
TRIGGER BUTTON INSTANT START
INSTANT FLAME CONTROL

PRECAUTIONS

WARNING

Contents extremely flammable and under pressure.
Carefully read instructions on individual containers.

DO NOT STORE at temperatures above 120 degrees F
(49 degrees C).

DO NOT STORE in rooms used for habitation.

DANGER

CONTENTS EXTREMELY FLAMMABLE AND UNDER PRESSURE.

KEEP OUT OF REACH OF CHILDREN.

KEEP AWAY FROM HEAT AND FLAME.

ALWAYS USE TORCH IN A WELL VENTILATED AREA.

PRODUCT CODE: EXTREME757



p 1300 331 141 | **f** 1300 764 510 | **e** orders@plumboss.com.au
plumboss.com.au

